



水轮机 (Turbine)						发电机 Generator	调速器 Governor	阀门 Valve		
型号 (TYPE)	水头 Head (m)	流量 Discharge (m ³ /s)	转速 speed (rpm)	功率 Power (kw)	效率 Efficiency (%)					
CJ22-W-55/1×4.5	110	0.069	750	64	86.4	SFW55-8	手、电动 调速器	Z941H-25 DN300		
	140	0.077		88	84.6	SFW75-8				
	170	0.085	1000	120	86	SFW100-6				
	190	0.09		143	86.4	SFW-125-6				
	230	0.1		190	85.3	SFW160-6				
	260	0.106		225	84.1	SFW200-6				
CJ22-W-55/1×5.8A	100	0.112	750	92	84.7	SFW75-8	手、电动 调速器	Z941H-25 DN300		
	110	0.118		107	84.8	SFW100-8				
	120	0.123		120	83.8	SFW-125-8				
	130	0.128		136	84.6					
	140	0.133		150	83					
	150	0.138		1000	165	82.2			SFW160-8	
	160	0.142	178		81.1					
	170	0.147	204		84.4	SFW160-6				
	CJ22-W-55/1×5.8B	180	0.151	1000	113	84.7			SFW200-6	手、电动 调速器
190		0.155	142		84.8					
200		0.159	1000		261	84.7	SFW250-6			
210		0.163			280	84.4				
220		0.167			299	84.1				
230		0.17			318	83.8	SFW320-6			
240		0.174			338	83.4				
250	0.178	358		83						
260	0.181	376	82.5							
CJ22-W-55/1×7A	100	0.162	750	132	83.8	SFW125-8	手、电动 调速器	Z941H-16 DN300		
	110	0.172		154	83.9					
	120	0.18		176	83.9	SFW160-8				
	130	0.187		195	82.8	SFW200-8				
	140	0.194		216	82.1					
	150	0.201		237	81.1					
	160	0.207		260	81	SFW250-8				
CJ22-W-55/1×7B	170	0.213	1000	293	83.4	SFW250-6	手、电动 调速器	Z941H-25 DN300		
	180	0.22		321	83.8	SFW320-6				
	190	0.227		351	83.9					
	200	0.232		377	83.8					
	210	0.237		403	83.5	SFW400-6				
	220	0.243		432	83.3					
	230	0.248		459	83					
CJ22-W-70/1×4.5	280	0.11	1000	256	86.6		SFW200-6	手、电动 调速器	Z941H-40 DN300	
	300	0.112		285	87.3	SFW250-6				
	320	0.118		320	87.2	SFW320-6				
	340	0.124		356	87.1					
	370	0.126		390	86.5					
	400	0.13		430	85.7	SFW400-6				



CJ22-W-70/1×5.5A	280	0.164	1000	390	87.7	SFW400-6	手、电动 调速器	Z941H-40 DN300
	300	0.168		430	87.8			
	320	0.176		480	87.7			
CJ22-W-70/1×5.5B	340	0.18	1000	520	87.7	SFW500-6	手、电动 调速器	Z941H-40 DN300
	360	0.184		560	87			
	380	0.192		607	85.8			
	400	0.196		650	85.5			
	420	0.2		696	85.3			
CJ22-W-70/1×7A	220	0.235	750	430	85.7	SFW400-8	手、电动 调速器	Z941H-25 DN300
	230	0.242		460	85.2			
	240	0.249		490	84.6			
	250	0.251		511	84			
	260	0.257		537	83			
	270	0.264		566	82			
CJ22-W-70/1×7B	280	0.266	1000	630	87.2	SFW630-6	手、电动 调速器	Z941H-40 DN300
	300	0.277		705	87.5			
	320	0.285		770	87.2			
	340	0.297		850	86.9			
	360	0.308		930	86.5			
	380	0.312		990	86			
	400	0.322		1060	85.4			
CJ22-W-70/1×9	103	0.269	600	230	85.7	SFW200-10	手、电动 调速器	Z941H-25 DN300
	118	0.285		280	86			
	140	0.305		350	84.3			
	160	0.331	750	440	85.8			
	185	0.357		550	85.9			
	220	0.382		690	84.7			
CJ22-W-90/1×4.5	460	0.139	1000	540	86	SFW500-6	手、电动 调速器	Z941H-64 DN250
	480	0.143		580	86.2			
	500	0.146		620	86.3			
	520	0.148		650	86.3			
	540	0.151		690	86.3			
	560	0.154		732	86.3			
	580	0.158		770	85.8			
	600	0.16		805	85.4			
CJA237-L-180/2×16.5	340	4.02	428.6	12000	89.5	SF10000-14	冲击式调速器	QF500-WY-80
	360	4.139		13082	89.5	SF12500-14		
	380	4.253		14190	89.5			
CJA237-L-200/2×18	370	4.196	375	13600	89.3	SF12500-16	冲击式调速器	QF500-WY-100
	390	4.308		14668	89.1	SF15000-16		
	410	4.417	15829	89.1				
	430	4.523	428.6	17076	89.5	SF16000-14		
CJA237-W-55/1×4	400	0.11	1500	376	88.8	SFW400-4	TC-150	Q941-64 DN250
	420	0.11		405	89			
	440	0.113		432	88.8			
	460	0.116		460	88.6			
	120	0.362		378	88.6	SFW400-8		



CJA237-W-62/2×7	140	0.391	750	477	88.7	SFW500-8	CYWT-2	Z941H-25 DN400	
	160	0.418		576	87.8				
	180	0.444		676	86.3				SFW630-8
	200	0.468	1000	798	87	SFW800-6			
	220	0.491		940	88.8	SFW1000-6			
	240	0.512		1072	88.9				
	260	0.533		1205	88.6				
	280	0.553		1338	88	SFW1250-6			Z941H-40 DN500
CJA237-W-70/2×9	160	0.670	750	925	0.88	SFW800-8	冲击式调速器	Z941H-25 DN500	
	170	0.694		1030	0.89	SFW1000-8			
	180	0.718		1122	0.885				
	190	0.742		1218	0.88				
	200	0.766		1315	0.875	SFW1250-8			
	210	0.79		1415	0.87				
CJA237-W-80/1×4.5	370	0.125	1000	390	87.2	SFW320-6	手、电动调速器	Z941H-40 DN300	
	400	0.128		430	87.4	SFW400-6		Z941H-64 DN300	
	420	0.13		470	87.2	SFW500-6			
	440	0.136		505	87				
	460	0.137		540	86.6				
CJA237-W-80/1×5.5A	370	0.188	1000	590	87.3	SFW500-6	手、电动调速器	Z941H-40 DN300	
	380	0.189		607	87.4				
CJA237-W-80/1×5.5B	390	0.19	1000	630	87.8	SFW630-6	手、电动调速器	Z941H-64 DN300	
	400	0.191		650	87.8				
	410	0.194		675	87.7				
	420	0.195		696	87.6				
	430	0.197		720	87.5				
	440	0.201		750	87.4	SFW800-6			
	450	0.206		785	87.3				
	460	0.211		820	87.2				
	470	0.214		850	87.1				
CJA237-W-80/1×7A	220	0.227	750	430	88.8	SFW400-8	手、电动调速器	Z941H-25 DN300	
	240	0.238		490	88.4	SFW500-8			
	260	0.252		560	88.1				
CJA237-W-80/1×7B	280	0.266	750	633	87.8	SFW630-8	手、电动调速器	Z941H-40 DN300	
	300	0.277		705	87.5				
	320	0.283		764	87				SFW630-8
	340	0.191		825	86	SFW800-8			
	360	0.301		892	85				
	380	0.303	1000	987	88.6	SFW1000-6			Z941H-64 DN300
	400	0.307		1057	88.8				
	420	0.313		1130	88.6				
	440	0.326		1230	88.4				
CJA237-W-80/1×9A	103	0.265	500	230	86.8	SFW200-12	手、电动调速器	Z941H-16 DN300	
	118	0.283		280	86.5	SFW250-12			
	140	0.299	600	352	86.7	SFW320-10			
	160	0.327		440	86.6	SFW400-10			
	185	0.354		550	86.4	SFW500-10			Z941H-25 DN300
CJA237-W-80/1×9B	200	0.362	750	605	86.3	SFW630-8	手、电动调速器	Z941H-25 DN300	
	220	0.39		722	86.8				
	240	0.416		838	86.5	SFW800-8			
	260	0.438		953	86.3				
	280	0.458		1070	86	SFW1000-8			
	300	0.476		1186	85.7				
	210	0.47		852	0.88	SFW800-8			
	225	0.493		968	0.89	SFW1000-8			



CJA237-W-80/2×7	240	0.516	750	1063	0.875	SFW1000-8	冲击式调速器	Z941H-40 DN500
	255	0.539		1173	0.87	SFW1250-8		
	280	0.56		1322	0.86			
CJA237-W-80/2×9	210	0.75	750	1367	0.885	SFW1250-8	冲击式调速器	Z941H-40 DN500
	225	0.788		1547	0.89	SFW1600-8		
	240	0.826		1723	0.886	SFW2000-8		
	255	0.864		1901	0.88			
	280	0.9		2151	0.87			
CJA237-W-90/1×11A	120	0.443	500	448	85.9	SFW400-12	YT-600或CYWT-1	Z941H-16 DN400
	130	0.461		506	86	SFW500-12		
	140	0.478		562	85.6			
	150	0.495		616	84.6			
CJA237-W-90/1×11B	160	0.511	600	685	85.4	SFW630-10	YWT-600或CYWT-1	Z941H-25 DN400
	170	0.527		754	85.8	SFW800-10		
	180	0.542		823	86			
	200	0.572		962	85.7			
	220	0.6		1097	84.7			
CJA237-W-90/1×5.5A	260	0.158	750	350	86.7	SFW320-8	手、电动 调速器	Z941H-40 DN250
	280	0.164		390	86.8	SFW400-8		
	300	0.169		430	86.7			
	320	0.175		475	86.5			
	340	0.181		520	86.2			
	360	0.187		565	85.8			
CJA237-W-90/1×5.5B	380	0.193	750	605	84	SFW630-8	手、电动 调速器	Z941H-40 DN250
	400	0.195		635	83			
	420	0.2		683	82			
	440	0.205		716	81			
	460	0.21	1000	820	86.6	SFW800-6		Z941H-64 DN250
	480	0.213		870	86.8			
	500	0.218		930	86.8			
CJA237-W-90/1×7A	260	0.254	750	560	86.4	SFW500-8	YT-300或CYWT-1	Z941H-40 DN400
	280	0.263		625	86.5	SFW630-8		
	300	0.275		700	86.4			
	320	0.285		770	86.2			
	340	0.297		850	85.9			
	360	0.306		925	85.5			
CJA237-W-90/1×7B	400	0.309	1000	1043	86.1	SFW1000-6	YWT-300或CYWT-1	Z941H-64 DN400
	420	0.316		1133	87	SFW1250-6		
	440	0.325		1227	87.9			
	460	0.33		1324	88.6			
	480	0.338		1417	88.8			
	500	0.346		1504	88.6			
CJA237-W-90/1×9A	260	0.436	750	953	87.7	SFW1000-8	YWT-600或CYWT-1	Z941H-40 DN400
	280	0.453		1070	88			
CJA237-W-90/1×9B	300	0.458	750	1187	88	SFW1250-8	YWT-600或CYWT-1	Z941H-40 DN400
	320	0.473		1298	87.4			
	340	0.467		1411	86.8			
	360	0.502		1527	86.1			
	380	0.516		1638	85.2			
	400	0.528		1749	84.4			
CJA237-W-92/2×7	200	0.468	600	806	87.8	SFW800-10	YWT-300 CYWT-2	Z941H-25 DN500
	220	0.49		922	87.2			
	240	0.512		1039	86.2			
	260	0.533	SFW1000-10	1155	85			
	280	0.553		1333	87.8			
	300	0.573		1482	87.9	SFW1250-8		



	320	0.591	750	1630	87.9	SFW1600-8	YWT-600 CYWT-2	Z941H-40 DN500
	340	0.61		1778	87.4			
	360	0.627		1922	86.8	SFW2000-8		
	380	0.644		2076	86.5			
	400	0.661		2217	85.5			
CJA237-W-92/2×9	200	0.765	600	1313	87.5	SFW1250-10	YWT-600 CYWT-2	Z941H-25 DN500
	220	0.803		1506	86.9			
	240	0.839		1697	85.9	SFW1600-10		
	260	0.876		1899	85			
	280	0.906	750	2128	87.6	SFW2000-8		Z941H-40 DN500
	300	0.938		2470	87.6			
	320	0.968		2662	87.6	SFW2500-8		
	340	0.998		2899	87.1	SFW3200-8		
	360	1.027		3137	86.5			
	380	1.055		3390	86.2			
	400	1.083		3621	85.2			
CJA237-W-95/1×5.5	380	0.199	750	647	87.2	SFW630-8	手动或电手动	Z941H-40 DN250
	400	0.204		682	85.2			
	420	0.209		730	84.8			SFW800-8
	440	0.214		768.5	83.2			
	460	0.218		817	83			
	480	0.223		869	82.8			
CJA237-W-100/1×7	360	0.295	750	925	88.7	SFW800-8	CYWT-1	Z941H-40 DN400
	380	0.298		980	88.3			
	400	0.304		1050	88	SFW1000-8		
	420	0.313		1130	87.6	SFW1250-8		
	440	0.325		1220	87.1			
	460	0.338		1320	86.5			
	480	0.349		1420	86.5	SFW1600-8	Z941H-64 DN400	
	500	0.352		1484	86			
	520	0.358		1552	85			
	540	0.365		1624	84			
	560	0.371		1691	83			
CJA237-W-100/1×9	320	0.469	750	1298	88.2	SFW1250-8		CYWT-1
	340	0.479		1411	88.3			
	360	0.49		1527	88.2	SFW1600-8		
	380	0.499		1638	88			
	400	0.509		1749	87.6			
	420	0.521		1870	87.2			
CJA237-W-100/1×11	320	0.723	750	1952	86	SFW2000-8	CYWT-1	Z941H-40 DN400
	330	0.732		2041	86.1			
	340	0.74		2127	86.2			
	350	0.747		2214	86.3			
	360	0.762		2302	86.2			
	370	0.766		2392	86.1			
	380	0.778		2494	86			
	390	0.791		2595	85.8			
	400	0.808		2714	85.6			
	420	0.83		2920	85.4			
	CJA237-W-100/2×9	200		0.765	600	1327		
220		0.803	1542	89				
240		0.839	1754	88.8		SFW1600-10		
260		0.876	1971	88.2				
280		0.906	2175	87.4		SFW2000-10		
300		0.938	2401	87				
320		0.968	2692	88.6				



	340	0.998	750	2959	88.9	SFW2500-8	YWT-1000 CYWT-2	Z941H-40 DN500
	360	1.027		3224	88.9	SFW3200-8		
	380	1.055		3488	88.7			
	400	1.083		3756	88.4			
CJA237-W-100/2×11	140	0.966	500	1180	89	SFW1250-12	冲击式调速器	Z941H-25 DN500
	160	1.033		1446	89.2	SFW1600-12		
	180	1.097		1716	88.6	SFW2000-12		
	200	1.155		1980	87.4	SFW2500-10		
	220	1.211	600	2331	89.2	SFW3200-10		Z941H-40 DN500
	240	1.265		2650	89			
	260	1.317		2976	88.6			
	280	1.366		3295	87.8			
	300	1.414		3604	86.6			
	320	1.461		4090	89.2	SFW4000-8		
CJA237-W-105/2×9	200	0.765	500	1318	87.8	SFW1250-12	CYWT-2	Z941H-25 DN500
	220	0.803		1517	87.4			
	240	0.839	600	1715	86.8	SFW1600-10		Z941H-40 DN500
	260	0.873		1959	88			
	280	0.906		2185	87.8			
	300	0.938		2418	87.6			
	320	0.968		2744	87.4			
	340	0.998		2908	87.2			
	360	1.027	750	3148	86.8	SFW3200-10		
	380	1.055		3441	87.5			
400	1.083	3731		87.8				
CJA237-W-105/2×11	200	1.144	500	1959	87.3	SFW2000-12	CYWT-2	Z941H-25 DN500
	220	1.199		2248	86.9			
	240	1.253	600	2546	86.3	SFW2500-10		Z941H-40 DN500
	260	1.304		2910	87.5			
	280	1.353		3244	87.3			
	300	1.4		3588	87.1			
	320	1.446		3945	86.9			
	340	1.491		4312	86.7			
	360	1.534	750	4675	86.3	SFW4000-10		
	380	1.576		5111	87			
400	1.617	5339		87.3				
CJA237-W-110/1×7	420	0.32	750	1171	88.8	SFW1000-8	冲击式调速器	Z941H-64 DN400
	440	0.33		1253	88			
	460	0.34		1351	88.1			
	480	0.35		1425	86.5			
	500	0.365		1539	86			
	520	0.375		1687	88.2			
	540	0.395		1841	88			
CJA237-W-110/1×9	400	0.525	750	1817	88.2	SFW1600-8	CYWT-1	Z941H-64 DN400
	420	0.544		1981	88.4			
	440	0.557		2130	88.6			
	460	0.604		2451	88.8			
	480	0.615		2560	88.4			
	500	0.631		2730	88.2			
	520	0.643		2880	87.8			
CJA237-W-110/1×11	540	0.654	600	3035	87.6	SFW3200-8	YWT-600或CYWT-1	Z941H-40 DN400
	260	0.658		1463	87.2	SFW1600-10		
	280	0.683		1634	87.1			
	300	0.707		1804	86.7			
			1975	86.2	SFW2000-10			



CJA237-W-110/1×11	340	0.742	750	2147	85.5	SFW2500-10 SFW2500-8 SFW3150-8	YWT-600或CYWT-1	Z941H-40 DN400
	360	0.775		2326	85			
	380	0.796		2581	87			
	400	0.817		2795	87.2			
CJA237-W-110/1×12.5	130	0.599	428.6	678	88.8	SFW630-14 SFW800-14 SFW1000-12 SFW1250-12 SFW1600-12 SFW1600-12 SFW2000-12 SFW2000-10	冲击式调速器	Z941H-16 DN500
	150	0.644		833	88			
	180	0.706		1106	88.7			
	200	0.744	500	1282	87.8			Z941H-25 DN500
	220	0.78		1468	87.2			
	240	0.815		1650	86			
	280	0.88	600	2139	88.5			Z941H-40 DN500
	300	0.911		2365	88.2			
CJA237-W-115/1×9	420	0.544	750	1975	88.2	SFW1600-8 SFW2000-8 SFW2500-8 SFW3200-8	YWT-600或CYWT-1	Z941H-64 DN400
	440	0.557		2125	88.4			
	460	0.604		2415	88.6			
	480	0.615		2560	88.4			
	500	0.631		2730	88.2			
	520	0.643		2885	88			
	540	0.654		3040	87.8			
	560	0.664		3195	87.6			
	580	0.674		3350	87.4			
	600	0.684		3510	87.2			
CJA237-W-115/1×11	280	0.662	600	1603	88.2	SFW1600-10 SFW2000-10 SFW2500-10	YWT-600或CYWT-1	Z941H-40 DN400
	300	0.685		1777	88.2			
	320	0.707		1952	88			
	340	0.728		2127	87.6			
	360	0.749		2302	87			
	380	0.771		2472	86			
	400	0.791		2607	84			
CJA237-W-115/1×12.5	120	0.56	375	578	87.8	SFW500-16 SFW630-14 SFW800-14 SFW1000-14 SFW1250-12 SFW1600-12 SFW1600-10 SFW2000-10	YWT-1000或CYWT-1	Z941H-16 DN500
	140	0.604	428.6	726	87.5			
	160	0.645		888	87.7			
	180	0.684		1047	86.7			
	200	0.721	500	1242	87.8			Z941H-25 DN500
	220	0.756		1430	87.6			
	240	0.791		1620	87			
	260	0.823	600	1828	87.1			Z941H-40 DN500
	280	0.851		2057	87.7			
	300	0.884		2283	87.8			
CJA237-W-115/2×9	280	0.904	600	2215	89.2	SFW2000-10 SFW2500-10 SFW3200-8	CYWT-2	Z941H-40 DN500
	300	0.938		2451	88.8			
	320	0.968		2695	88.7			
	340	0.997		2946	88.6			
	360	1.027		3188	87.9			
	380	1.055		3473	87			
	400	1.083		3765	85.5			
CJA237-W-115/2×11	200	1.155	500	2017	89	SFW2000-12 SFW2500-12 SFW3200-12 SFW3200-10 SFW3200-10 SFW4000-10	CYWT-2	Z941H-25 DN500
	220	1.211		2321	88.8			
	240	1.265		2621	88			
	260	1.317	600	2939	87.5			Z941H-40 DN500
	280	1.366		3341	89			
	300	1.414		3705	89			
	320	1.461		4063	88.6			



	340	1.506	600	4420	88	SFW5000-10		Z941H-40 DN500		
	360	1.549		4794	87.6					
	380	1.592		5162	87					
	400	1.633		5531	86.3			SFW6300-10		
CJA237-W-115/2×12	200	1.234	500	2155	89	SFW2000-12	CYWT-2	Z941H-40 DN600		
	220	1.294		2480	88.8					
	240	1.352		2820	88.6				SFW2500-12	
	260	1.407		3158	88				SFW3200-12	
	280	1.461	600	3641	89	SFW3200-10				
	300	1.512		3951	88.8	SFW4000-10				
	320	1.561		4342	88.6					
	340	1.61		4747	88.4	SFW5000-10				
	360	1.656	750	5147	88	SFW5000-8				
	380	1.702		5602	88.3					
400	1.746	6070		88.6	SFW6300-8					
200	1.61	500		2800	88.8		SFW2500-12	CYWT-2	Z941H-25 DN650	
220	1.69		3200	88	SFW3000-12					
240	1.76		3600	87.4		SFW3200-12				
260	1.84		600	4000	86.5	SFW4000-12				
280	1.91	4600		88.5	SFW4000-10					
300	1.97	5000		88.9		SFW5000-10				
320	2	5500		88	SFW5000-10					
340	2.1	6000	87.5	SFW6300-10	SFW6300-10	Z947H-40 DN650				
CJA237-W-125/1×9	420	0.544	600	1975	88	SFW1600-10	YWT-600或CYWT-1			Z941H-64 DN400
	440	0.557		2125	87.6					
	460	0.604		2415	87.1					
	500	0.631		750	2730			88.8	SFW2500-8	
	520	0.643	2885		88.9					
	540	0.654	3040		89.5					
	560	0.664	3095		89.3	SFW3200-8				
	580	0.674	3350	89.1						
600	0.684	3510	89							
CJA237-W-125/1×12.5	220	0.757	500	1437	88		SFW1250-12	YWT-1000 YWT-600或CYWT-1	Z941H-25 DN500	
	240	0.791		1644	88.3	SFW1600-12				
	260	0.823		1849	88.1					
	280	0.854		2055	87.6	SFW2000-12				
	300	0.883	600	2269	87.3	SFW2500-10				
	320	0.913		2522	88					
	340	0.941		2772	88.3					
	360	0.956		3020	88.3		SFW3200-10			
	380	0.995	3264	88						
	400	1.02	3511	87.7						
CJA237-W-125/1×14	170	0.834	428.6	1213	87.2	SFW1000-14		YWT-1000 YWT-600或CYWT-1	Z941H-25 DN500	
	190	0.883		1434	87.2		SFW1250-14			
	210	0.927		1652	86.5					SFW1600-14
	230	0.97		500	1909		87.2			SFW1600-12
	250	1.012	2163		87.2	SFW2000-12				
	270	1.051	2417		86.8					
	290	1.088	2671		86.2	SFW2500-12				
	310	1.127	600	2947	86	SFW3200-10				
	330	1.163		3278	87.1					
	350	1.197		3588	87.3					
220	0.785	500		1515	89.4		SFW1250-12		Z941H-25 DN500	
240	0.821		1736	89.8	SFW1600-12					
260	0.853		1947	89.2						
280	0.885		2168	88.8	SFW2000-12					



CJA237-W-125/2×9	300	0.917	600	2396	89.5	SFW2500-12	CYWT-2	Z941H-40 DN500
	320	0.946		2658	89.5	SFW2500-10		
	340	0.975		2920	89.8			
	360	1.004		3184	89.8	SFW3200-10		
	380	1.031		3440	89.5			
	400	1.059		3703	89.1			
CJA237-W-125/2×11	220	1.179	500	2262	88.9		SFW2000-12	CYWT-2
	240	1.232		2590	89.3	SFW2500-12		
	260	1.282		2913	89.1	SFW3200-12		
	280	1.331		3238	88.6			
	300	1.377	600	3577	88.3	SFW4000-10	Z941H-40 DN500	
	320	1.422		3971	89			
	340	1.466		4364	89.3			
	360	1.509		4756	89.3			
	380	1.551		5142	89	SFW5000-10		
	400	1.591		5533	88.7			
CJA237-W-125/2×12.5	200	1.435	500	2469	87.7	SFW2500-12	CYWT-2	QF400-WY -65
	220	1.506		2885	88.8	SFW3200-12		
	240	1.573		3303	89.2			
	260	1.637		3715	89			
	280	1.698	600	4127	88.5	SFW4000-12		
	300	1.757		4560	88.2	SFW5000-10		
	320	1.816		5067	88.9			
	340	1.871		5567	89.2	SFW6300-10		
	360	1.926		6066	89.2			
	380	1.978		6554	88.9			
400	2.029	7046	88.5					
CJA237-W-125/2×14	170	1.72	428.6	2524	0.88	SFW2500-14	冲击式调速器	Z941H-25 DN700
	180	1.78		2781	0.885			
	190	1.84		3028	0.883	SFW3200-14		
	200	1.9		3273	0.878			
	210	1.96	500	3533	0.875	SFW4000-14		
	220	2.02		3801	0.872			
	230	2.08		4145	0.883	SFW4000-12		
	240	2.14		4458	0.885			
CJA237-W-130/2×11	350	1.524	600	4657	89	SFW4000-10	冲击式调速器	QF947-40 DN600
	370	1.567		5073	89.2	SFW5000-10		
	390	1.609		5478	89			SFW6300-10
	410	1.65		5853	88.2			
	430	1.689		6255	87.8			
	450	1.728		6675	87.5			
	470	1.766		7100	87.2			
CJA237-W-130/2×12.5	250	1.663	500	3629	89	SFW3200-12	冲击式调速器	QF947-40 DN650
	270	1.729		4098	89.5	SFW4000-12		
	290	1.792		4496	88.2			
	310	1.852		4928	87.5	SFW5000-12		
	330	1.911	5382	87				
	350	1.968	600	6013	89	SFW6300-10		
	370	2.023		6571	89.5			
	390	2.078		7012	88.2			
CJA237-W-130/2×13	280	1.9		500	4838		89.5	SFW4000-12
	300	1.971	5174		89.2	SFW5000-12		
	320	2.035	5634		88.2			
	340	2.099	600	6125	87.5	SFW6300-12		
	360	2.159		6824	89.5			
	380	2.218		7400	89.5			



CJA237-W-140/2×12.5	300	1.731	500	4560	89.5	SFW4000-12	CYWT-2	QF600-WY -65				
	320	1.81		5067	89.2	SFW5000-12						
	340	1.878		5567	88.9	SFW6300-12						
	360	1.942		6066	88.5	SFW6300-12						
	380	1.986		6515	88	SFW6300-12						
	400	2.015	600	7046	89.2	SFW6300-10						
	420	2.1		7724	89.4	SFW8000-10						
	440	2.148		8271	89.3	SFW8000-10						
	460	2.195		8814	89.1	SFW8000-10						
	480	2.244		9384	88.9	SFW10000-10						
	500	2.29		9941	88.6	SFW10000-10						
	520	2.336		10494	88.2	SFW10000-10						
	CJA237-W-140/2×14	200		1.794	428.6	3122			88.7	SFW3200-14	CYWT-2	QF400-WY -65
		220		1.882		3622			89.2	SFW3200-14		
240		1.969	4125	89		SFW4000-14						
260		2.046	4618	88.5		SFW4000-14						
280		2.124	500	5185	88.9	SFW5000-12	CYWT-2					
300		2.202		5779	89.2	SFW5000-12						
320		2.27		6347	89.1	SFW6300-12						
340		2.347		6942	88.7	SFW6300-12						
360		2.404		7488	88.2	SFW6300-12						
380		2.472		8061	87.5	SFW8000-10						
400		2.541		8862	88.9	SFW8000-10						
CJA237-W-140/2×15		170		1.96	375	2896		88.6	SFW2500-16	CYWT-2	QF400-WY -80	
		190		2.073		3408		88.2	SFW3200-16			
		210		2.179		3968		88.4	SFW4000-14			
	230	2.28	428.6	4558	88.6	SFW4000-14						
	250	2.377		5142	88.2	SFW5000-14						
	270	2.471		5760	88	SFW5000-14						
	290	2.56		500	6446	88.5	SFW6300-12					
	310	2.647	7132		88.6	SFW6300-12						
	330	2.731	7807		88.3	SFW8000-12						
	350	2.813	8490		87.9	SFW8000-12						
	CJA237-W-140/2×16	160	2.164		375	2965	87.3	SFW2500-16	CYWT-2			QF400-WY -80
		170	2.23			3254	87.5	SFW2500-16				
		180	2.295			3542	87.4	SFW3200-16				
		190	2.358	3828		87.1	SFW3200-16					
200		2.419	4129	87		SFW4000-16						
210		2.479	428.6	4458	87.3	SFW4000-14						
220		2.537		4791	87.5	SFW4000-14						
230		2.594		5121	87.5	SFW4000-14						
240		2.65		5447	87.3	SFW5000-14						
250		2.705		5778	87.1	SFW5000-14						
CJA237-W-145/2×13		180		1.48	375	2312	0.885	SFW2000-16		冲击式调速器	Z941H-25DN700	
		200		1.57		2740	0.89	SFW2500-16				
		220		1.66		3135	0.875	SFW3200-16				
		240		1.75		3543	0.86	SFW3200-16				
	260	1.83	428.6	4085	0.875	SFW4000-14						
	280	1.92		4588	0.87	SFW4000-14						
	300	2.1		5376	0.87	SFW5000-14						
CJA475-W-115/1×5.5	600	0.242	750	1216	85.3	SFW1250-8	CYWT-1	Z941H-100 DN400				
	650	0.249		1333	84	SFW1250-8						
	700	0.261		1469	82	SFW1250-8						
	750	0.271	1000	1716	86.2	SFW1600-6						
	800	0.276		1897	86.5	SFW1600-6						
	850	0.288		2079	86.5	SFW2000-6						



	900	0.296	1000	2258	86.4	SFW2000-8						
	950	0.305		2448	86.2	SFW2500-6						
	1000	0.313		2628	85.7							
CJA475-W-115/1×7	500	0.358	750	1517	86.5	SFW1600-8	YWT-600或CYWT-1	Z941H-64 DN400				
	550	0.375		1742	86.1	SFW2000-8						
	600	0.392		1966	85.3							
	650	0.407		2179	84							
	700	0.423	1000	2466	82	SFW2500-8		Z941H-100 DN400				
	750	0.438		2775	86.2	SFW2500-6						
	800	0.453		3070	86.5							
CJA475-W-125/1×7	520	0.396	750	1664	88.5	SFW1600-8	冲击式调速器	ZGQ64 DN400				
	540	0.405		1909	89	SFW2000-8						
	560	0.414		2024	89							
	580	0.423		2130	88.5							
	600	0.432		2250	88.5	SFW2500-8		ZGQ100 DN400				
	620	0.441		2349	87.6							
	640	0.45		2472	87.5							
	660	0.459		2588	87.1	2700		86.5				
	680	0.468		2700	86.5							
CJA475-W-130/2×10	575	1.07	750	5323	0.882	SFW5000-8	冲击式调速器	ZGQ100 DN600				
	595	1.14		5922	0.89	SFW6300-8						
	615	1.21		6497	0.89	SFW7200-8						
	640	1.28		7176	0.893							
	660	1.35		7692	0.88							
CJA475-W-145/2×9	420	1.12	600	4106	89	SFW4000-10	CYWT-02	ZGQ64 DN500				
	440	1.15		4427	89.5	SFW5000-10						
	460	1.17		4759	90							
	480	1.2		5062	89.8							
	500	1.22		5363	89.5							
	520	1.25		5656	89							
	660	1.4	750	8070	88.8	SFW8000-8	CYWT-02	ZGQ100 DN500				
	680	1.42		8459	89							
	700	1.45		8864	89.3	SFW8500-8						
	720	1.47		9278	89.6							
	740	1.49		9635	89.3	SFW10.0-8						
	760	1.5		10017	89.2							
	CJA475-W-145/2×12	350		1.82	500	5499			0.88	SFW5000-12	冲击式调速器	ZGQ64 DN650
		370		1.85		5922			0.882	SFW6300-12		
390		1.88	6336	0.881								
410		1.91	6698	0.872								
430		1.94	7283	0.89		SFW8000-10						
450		1.97	7757	0.892								
470		2	8207	0.89								
490		2.03	600	8685	0.89	SFW10000-10						
510		2.06		9253	0.885							
530		2.09		9584	0.882							
550		2.12		10065	0.88							
CJA475-W-150/2×7	500	0.693	600	3025	89	SFW3200-10	冲击式调速器	ZGQ64 DN500				
	520	0.709		3201	88.5							
	540	0.725		3391	88.3							
	560	0.741		3586	88.1							
	580	0.757		3781	87.8	SFW4000-10						
	600	0.773		3972	87.3							
	620	0.789		4122	85.9							
	640	0.805		4331	85.7	SFW5000-8						
	730	0.873		5564	89							



	750	0.886	750	5801	89	SFW5000-8		ZGQ100 DN500
	770	0.899		6043	89	SFW6300-8		
	790	0.912		6290	89			
	810	0.925		6512	88.6			
	830	0.938		6720	88			
	850	0.951		6946	87.6			
CJA475-W-150/2×8	460	0.93	600	3727	89.2	SFW4000-10	CYWT-02	ZGQ64 DN500
	480	0.95		3982	89.4	SFW5000-10		ZGQ80 DN500
	500	0.96		4223	89.2			
	520	0.98		4474	89.1			
	540	1		4730	89			
	560	1.02		4984	88.8			
	580	1.04	5218	88.2	SFW7200-10	CYWT-02	ZGQ100 DN500	
	600	1.1	5477	88				
	700	1.14	6965	88.8				
	720	1.16	7282	89				SFW8000-10
	740	1.17	7613	89.3				
	760	1.2	7933	89.4				
	780	1.21	8248	89.4				
	800	1.22	8557	89.3				
CJA475-L-170/2×12	460.0	2.08	500	8470	90.1	SF8000-12	CYWT-2/高压	ZGQ64 DN700
	480.0	2.13	500	8998	89.8	SF9000-12		ZGQ80 DN700
	500.0	2.17	500	9545	89.6	SF9000-12		
	520.0	2.22	500	10056	89	SF10.0-12		ZGQ100 DN700
	540.0	2.26	500	10582	88.5	SF10.0-12		
	560.0	2.30	500	11087	87.8	SF10.0-12		
	600.0	2.38	600	12772	91.2	SF12.0-10		
	620.0	2.42	600	13210	89.8	SF12.5-10		
	640.0	2.46	600	13916	90.2	SF12.5-10		
	660.0	2.50	600	14557	90.1	SF13.0-10		
	680.0	2.53	600	15190	89.9	SF14.0-10		
	700.0	2.57	600	15812	89.6	SF15.0-10		
CJA475-L-180/4×12	480.0	4.26	500	18057	90.1	SF17.0-12	CYWT-4/高压	ZGQ64 DN1000
	500.0	4.34	500	19219	90.2	SF18.0-12		ZGQ80 DN1000
	520.0	4.43	500	20361	90.1	SF19.0-12		
	540.0	4.51	500	21499	89.9	SF20.0-12		ZGQ100 DN1000
	560.0	4.60	500	22604	89.5	SF21.0-12		
	580.0	4.68	500	23852	89.6	SF22.0-12		
	600.0	4.76	500	24788	88.5	SF23.0-12		
	620.0	4.84	500	25920	88.1	SF24.0-12		
	660.0	4.99	600	28921	89.5	SF26.0-10		
	680.0	5.07	600	30448	90.1	SF28.0-10		
	700.0	5.14	600	31801	90.1	SF30.0-10		
	720.0	5.21	600	33211	90.2	SF32.0-10		
	740.0	5.28	600	34566	90.1	SF32.0-10		
	CJA475-L-200/4×11	345	3.08	375	9381	90		SF8000-16
370		3.25	10616		90	SF10000-16		
405		3.42	12093		89	SF12500-16		
475		3.59	428.6	15055	90	SF16000-14	QF600-WY-100	
510		3.76		16742	89			
545		3.93		18700	89			SF18000-14